

TriWich® Modular Mobility Solutions

Modular Wheel Dollies: 2" Ultra Low Profile, 4" EV/SUV/RV, 6" Semi-Truck, 12" Aircraft Tarmac (Up to 99,000 lbs/Tire)

Modular Shipping Container Dollies: Tractors, Forklifts, Trucks "The US Navy Wagon", Caddy "The AT&T 60k Caddy", LiftWich

Modular Machinery Dollies - Safes, HVAC, Transformers, RF-Ovens, Drill Press, Injection Molding, etc. (Up to 320,000 lbs)

LiftWich: Use your Pickup truck to Jack & Tow Shipping Container and Drive Down the Highway (Enabling ANY Mobile Business concept you can imagine)

Contact Us:

www.TriWich.com

CS@TriWich.com

909.582.9591



Modular Wheel Dollies

Supercars, Electric Vehicles, 5th Wheelers Semi-Trucks, Fire-Trucks, 747s

Light Duty 18" 2,500 lbs/tire (Ultra Low 1.75" Caster) / Medium Duty 28" 6,000 lbs/tire (RV/EV) / Heavy Duty 28" 18,000 lbs/tire (Semi-Truck)

Tarmac Aircraft Wheel Dollies 99,000 lbs/tire (Four TriWich Tri60 system with Airplane Jacking Point Jacks)



Contact CS@TriWich.com for technical support

TriWich® Modular Mobility Solutions

Modular Wheel Dollies: 2" Ultra Low Profile, 4" EV/SUV/RV , 6" Semi-Truck, 12" Aircraft Tarmac (Up to 99,000 lbs/Tire)

Modular Shipping Container Dollies: Tractors, Forklifts, Trucks "The US Navy Wagon", Caddy "The AT&T 60k Caddy", LiftWich

Modular Machinery Dollies - Safes, HVAC, Transformers, RF-Ovens, Drill Press, Injection Molding, etc. (Up to 320,000 lbs)

LiftWich: Use your Pickup truck to Jack & Tow Shipping Container and Drive Down the Highway (Enabling ANY Mobile Business concept you can imagine)

Contact Us:

www.TriWich.com

CS@TriWich.com

909.582.9591



TriWich

The Smallest Strongest Most Diverse Dolly Worldwide

Wheel Dollies (From 2,500 to 99,000 lbs/tire)

[Wheel-Dolly](#)

Modular Wheel Dollies (MWD) up to 18,000 lbs/tire

(SuperCars, Electric Vehicles, Semi-Trucks, Buses, Fire-Trucks)

Wheel Dolly Quantity Discount (5% QTY 2)(10% QTY 4)(15% QTY 6)

"The Ultra Low 2" Profile Dolly" Light Duty 18" Single Wheel Dolly (2,500 to 2,900 lbs/tire)(5,800 Axle)

Supercar, Luxury Performacne, Low Rider

MWD.T1.18	Modular Wheel Dolly T1.18" (Max 2,900 lbs/tire)(Without Casters)		\$1,456	\$0.00	0
MWD.T1.18.2500	Castors (Set of 4) MWD T1:18 : 2,500 lbs/tire (Supercars)(DU:Inside)		\$428	\$0.00	0
MWD.T1.18.2750	Castors (Set of 4) MWD T1:18 : 2,750 lbs/tire (Supercars)(GT:Inside)		\$501	\$0.00	0
MWD.T1.18.2900	Castors (Set of 4) MWD T1:18 : 2,900 lbs/tire (Supercars)(NY:Outside)		\$497	\$0.00	0
MWD.T1.18.Tri60	TriWich Tri60 T12 (800 FT-LBS) 1,200 lbs/caster (3,600 dolly)		\$391	\$0.00	0
MWD.T1.18.Arm	Modular Wheel Dolly Arm T1 18" (L/R) & HW (Supercars)		\$354	\$0.00	0
MWD.T1.18.ExBar	Modular Wheel Dolly External Bar 28" T1.18 (Supercars)		\$177	\$0.00	0

The Ultra-Low Dually Dolly is use to lift cars with clearance of 2" - Supercars, Luxury Performane even Bugs & Low-Riders (requires smooth concrete with no cracks)

This product was based on customer requests in the Supercar & Luxury Performace Market from the Middle-East

"The EV/RV Dually Dolly" Medium Duty 6,000 lb Single/Dually 28" Wheel Dollies (2,800 to 6,000 lbs/tire)(12,000 Axle)

Cars, Boats, SUV, EVs, RVs, 5th Wheelers

MWD.T2.28	Modular Wheel Dolly T2.28" (Max 6,000 lbs/tire)(Without Casters)	0	\$1,654	\$0.00	0
MWD.T2.28.2800	Castors (Set of 4) MWD.T2.28: 2,800 lbs/tire (EV/RV)(DU:Inside)		\$118	\$0.00	0
MWD.T2.28.3600	Castors (Set of 4) MWD.T2.28: 3,600 lbs/tire (EV/RV)(GT:Inside)		\$317	\$0.00	0
MWD.T2.28.5000	Castors (Set of 4) MWD.T2.28: 5,000 lbs/tire (EV/RV)(NY:Outside)		\$592	\$0.00	0
MWD.T2.28.6000	Castors (Set of 4) MWD.T2.28: 6,000 lbs/tire (EV/RV)(NY:Outside)	0	\$647	\$0.00	0
MWD.T2.28.Tri60	TriWich Tri60 T22 (1,500 FT-LBS) 2,000 lbs/caster (6,000 dolly)		\$470	\$0.00	0
MWD.T2.28.Arm	Modular Wheel Dolly Arm T2 28" (L&R) & HW (EV/RV)		\$500	\$0.00	0
MWD.T2.28.ExBar	Modular Wheel Dolly External Bar 28" T2.28 (EV/RV)		\$219	\$0.00	0

The EV/RV Duty can be used for both Single and Dually Wheels up to 6,000 lbs tires. Very useful for Electric Vehcile market with heavier battery

Originally our 12" wheel dolly, but clearly customers demand is for our longest dollies for dually tires.

"The Semi-Truck Dolly" Heavy Duty 18,000 lb Single/Dually 28" Wheel Dollies (4,800 to 18,000 lbs/Tire)(36,000 Axle)

Semi-Trucks, Buses, Cement & Fire Trucks

MWD.T3.28	Modular Wheel Dolly T3.28" (Max 18,000 lbs/tire)(Without Casters)	6	\$2,443	\$14,659.14	555
MWD.T3.28.4800	Castors (Set of 4) MWD.T3.28: 4,800 lbs/tire (Semi/Fire)(DU:Inside)		\$591	\$0.00	0
MWD.T3.28.6000	Castors (Set of 4) MWD.T3.28: 6,000 lbs/tire (Semi/Fire)(DU:Inside)		\$633	\$0.00	0
MWD.T3.28.6600	Castors (Set of 4) MWD.T3.28: 6,600 lbs/tire (Semi/Fire)(NY:Outside)		\$1,176	\$0.00	0
MWD.T3.28.7200	Castors (Set of 4) MWD.T3.28: 7,200 lbs/tire (Semi/Fire)(DU:Inside)		\$902	\$0.00	0
MWD.T3.28.7500	Castors (Set of 4) MWD.T3.28: 7,500 lbs/tire (Semi/Fire)(NY:Outside)		\$1,440	\$0.00	0
MWD.T3.28.9000	Castors (Set of 4) MWD.T3.28: 9,000 lbs/tire (Semi/Fire)(GT:Inside)	6	\$1,286	\$7,718.82	300
MWD.T3.28.X800	Castors (Set of 4) MWD.T3.28: 18,000 lbs/tire (Semi/Fire)(NY:Outside)		\$1,801	\$0.00	0
MWD.T3.28.Tri60	TriWich Tri60 T36 (5,000 FT-LBS) 6,000 lbs/caster (18,000 dolly)		\$934	\$0.00	0
MWD.T3.28.Arm	Modular Wheel Dolly Arm T3 28" (L/R) & HW (Semi/Fire)		\$713	\$0.00	0
MWD.T3.28.ExBar	Modular Wheel Dolly External Bar 28" T3.28 (Semi/Fire)		\$361	\$0.00	0

The 28" Semi-Truck" Wheel Dolly is for both the Front/Drive Single Whel Axle and Back/Rear Double Wheel Duallies

Largest application to date: Kenworth 16,000 drive axle, In June 2023, TriWich will be used at the Smithsonian in Washington DC to move a 45,000 lb Fire Truck

Floor Jack Adapter -One Required

Floor.Jack.Adapter	Wheel Dolly Floor Jack Adapter (One required per tire, axle or vehicle)	1	\$199	<i>Supercars, Performance Luxury, Low-Riders</i>	\$198.64	7
--------------------	---	---	-------	--	----------	---

TriWich starts on the ground giving 1.5" of clearance to the External Bar. The Floor Jack Adapter slides over the External Bar allowing access to a floor jack.

Modular Aircraft Tarmac Dolly (MATD) (The "99,000 lbs/tire" Wheel Dolly) (Transport for Damaged Landing Gear or Flat Tires)

We lift from the Aircraft Jack Point

Modular Aircraft Tarmac Dolly Double 5" Wheels			<i>12,000 lbs/tire (30,000 lb Aircraft)</i>			
MATD.A5.4W12	T36 Modular Aircraft Tarmac Dolly (4T) 5"x2"x2 12,000 lbs/tire (30,000 lbs Aircraft)	\$6,023.68	\$0.00	0	\$0.38	
Modular Aircraft Tarmac Dolly Double 6" Wheels			<i>60,000 lbs/tire (150,000 lb Aircraft)</i>			
MATD.A6.4W13	T36 Modular Aircraft Tarmac Dolly (4T) 6"x2"x2 13,200 lbs/tire (33,000 lbs Aircraft)	\$6,237.28	\$0.00	0	\$0.35	
MATD.A6.6W21	T37 Modular Aircraft Tarmac Dolly (4T) 6"x3"x2 21,000 lbs/tire (52,000 lbs Aircraft)	\$7,972.06	\$0.00	0	\$0.28	
MATD.A6.6W30	T40 Modular Aircraft Tarmac Dolly (4T) 6"x3"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$9,787.28	\$0.00	0	\$0.24	
MATD.A6.6W60	T52 Modular Aircraft Tarmac Dolly (4T) 6"x3"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$14,479.24	\$0.00	0	\$0.18	
Modular Aircraft Tarmac Dolly Double 8" Wheels			<i>84,000 lbs/tire (210,000 lb Aircraft)</i>			
MATD.A8.4W18	T36 Modular Aircraft Tarmac Dolly (4T) 8"x2"x2 18,000 lbs/tire (45,000 lbs Aircraft)	\$6,474.88	\$0.00	0	\$0.27	
MATD.A8.6W21	T37 Modular Aircraft Tarmac Dolly (4T) 8"x3"x2 21,000 lbs/tire (52,000 lbs Aircraft)	\$8,324.46	\$0.00	0	\$0.30	
MATD.A8.6W30	T51 Modular Aircraft Tarmac Dolly (4T) 8"x3"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$13,908.44	\$0.00	0	\$0.35	
MATD.A8.6W60	T52 Modular Aircraft Tarmac Dolly (4T) 8"x3"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$16,094.84	\$0.00	0	\$0.20	
MATD.A8.8W30	T61 Modular Aircraft Tarmac Dolly (4T) 8"x4"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$17,972.44	\$0.00	0	\$0.45	
MATD.A8.8W60	T62 Modular Aircraft Tarmac Dolly (4T) 8"x4"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$20,506.44	\$0.00	0	\$0.26	
MATD.A8.8W84	T54 Modular Aircraft Tarmac Dolly (4T) 8"x4"x2 84,000 lbs/tire (210,000 lbs Aircraft)	\$23,385.73	\$0.00	0	\$0.42	
Modular Aircraft Tarmac Dolly Double 10" Wheels			<i>99,000 lbs/tire (247,000 lb Aircraft)</i>			
MATD.AX.6W30	T51 Modular Aircraft Tarmac Dolly (4T) 10"x3"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$14,949.24	\$0.00	0	\$0.37	
MATD.AX.6W60	T52 Modular Aircraft Tarmac Dolly (4T) 10"x3"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$18,152.04	\$0.00	0	\$0.23	
MATD.AX.8W30	T61 Modular Aircraft Tarmac Dolly (4T) 10"x4"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$19,112.04	\$0.00	0	\$0.48	
MATD.AX.8W60	T62 Modular Aircraft Tarmac Dolly (4T) 10"x4"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$22,861.64	\$0.00	0	\$0.29	
MATD.AX.8W99	T64 Modular Aircraft Tarmac Dolly (4T) 10"x4"x2 99,000 lbs/tire (247,000 lbs Aircraft)	\$24,623.92	\$0.00	0	\$0.19	
Modular Aircraft Tarmac Dolly Double 12" Wheels			<i>99,000 lbs/tire (247,000 lb Aircraft)</i>			
MATD.AY.6W30	T51 Modular Aircraft Tarmac Dolly (4T) 12"x3"x2 30,000 lbs/tire (75,000 lbs Aircraft)	\$16,215.24	\$0.00	0	\$0.41	
MATD.AY.6W60	T52 Modular Aircraft Tarmac Dolly (4T) 12"x3"x2 60,000 lbs/tire (150,000 lbs Aircraft)	\$20,282.44	\$0.00	0	\$0.25	
MATD.AY.8W99	T64 Modular Aircraft Tarmac Dolly (4T) 12"x4"x2 99,000 lbs/tire (247,000 lbs Aircraft)	\$27,534.32	\$0.00	0	\$0.21	

Tarmacs are designed for water run off, double wheels are necessary to maintain capacity. Larger Diameter faster speeds. Wider Wheels Lower Vibration/Cost of Ownership.

Pricing Valid 30 day until inflation is under control, Taxes and Shipping not included Questions Contact Customer Service at >> Dan@TriWich.com or call 909.582.9591

REAL APPLICATIONS

- Toyota** (Saline, MI) New R&D production line for a 9,000 lbs SUV
- TranPower USA** (Escondido, CA) **Pererbilt E-Transmissions** manufacturing line for heavy-duty electronic transmissions.
- Kenworth Semi-Truck** (Renton WA) Production Line moving 15,000 lbs Drive Axles without Transmissions
- BLT Ready Mixed Concrete** (Yuma, AZ) Maintenance of the largest rotating Ready Mix Semi-Truck
- MidWest Bus Corp** (Owosso, MI) City Buss Maintenance
- Smithsonian** (Washington DC) Museum **45,000 lb Fire Truck** used after the 9-11 attack (Sponsored by Pentagon Heroes) July 2023
- And numerous private individuals with heavy boats, 5th wheelers, and dually wheeled vehicles

COMPETITIVE

TriWich dolly rating is based on 3 casters, while our competitors' ratings are based on 4 casters.

MARKETING

Wheel Dolly Capacity Comparison:	Caster(1T)	Tire(3T)	Drive(6T)	Rear 40%	Vehicle
Ratchet Dolly (limited by design and your leg)(3" casters)(Max capacity 550 lbs)	550	1,650	3,300	2,200	5,500
TriWich.MWD.2424 (4" Casters) Our smallest Modular Dually Wheel Dolly 24"	800	2,400	4,800	3,200	8,000
TriWich.MWD.X828 (6" Casters) Our largest Modular Dually Wheel Dolly 28"	6,000	18,000	36,000	24,000	60,000
Aircraft Tarmac Wheel Dollies Max Capacity	33,000	99,000	Aircraft	247,500	

TriWich makes the highest capacity wheel dollies in the world . . Unlike our competition TriWich is without design limitation)

Wheel Dolly Dually (Length) Comparison:	16"	20"	24"	28"	32"
Dually wheel definition is: Tire Width x2 + 2 inch gap. How big is your dually	7	9	11	13	15

Wrench or an impact drill/gun for nut and bolt assembly. Floor Jack for lifting from front or Two Bottle Jacks from the sides

Lifting methods depend on customer preference and can be accomplished with a floor jack, bottle jack or other methods customized to specific application.

Floor Jack Adapter is free of charge with the purchase of 4 wheel dollies. Otherwise at our cost of \$99

Two Wheel Dollies required for 1 axle and then add **2 Modular Tri-Bars** to make a Universal Tri60 Dolly

TOOLS

LIFTING

ASSESSORY

UNIVERSAL DOLLY

Wheel Dolly Market